


Home Page

Hyperlink™

Price Paint Rubber Hairline Crack Filler™
To obtain data, click on the division



The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Product Information

Product Name: Price Paint Rubber Hairline Crack filler TM

Product Code: 1100TM

Manufacturer: Selchem Manufacturing (Pty) Ltd

Head Office: 50 South Main Reef Rd, New Era, Springs, 1559



Product Information

Price Paint Rubber Hairline Crack filler is a high-performance, water-based filler specifically designed to fill and seal hairline cracks in walls, ceilings, and other surfaces. It provides a strong, flexible, and durable bond, ensuring a long-lasting and seamless finish.

Key Features

- **Easy to Apply:** Simple and easy to apply, with no need for specialized tools or training.
- **Fast-Drying:** Quick-drying formula allows for fast completion of repairs.
- **Flexible:** Flexible formula allows for slight movement and expansion of the filled area.
- **Waterproof:** Provides a waterproof seal to prevent further damage from water ingress.
- **Low Odor:** Low-odor formula reduces unpleasant smells and fumes.
- **Non-Shrink:** Non-shrink formula ensures that the filled area remains stable and secure.

Benefits

- Effectively repairs hairline cracks and small gaps in surfaces.
- Prevents water damage and further deterioration of the surface.
- Saves time and effort compared to traditional repair methods.
- Cost-effective solution for repairing small cracks and gaps.
- Improves the appearance of the surface by filling in unsightly cracks and gaps.
- Enhances the durability of the surface by providing a waterproof seal.
- Easy to clean and maintain, with no special cleaning products required.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. Users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Surface Preparation

- Cleaning: Ensure the surface is clean, dry, and free of dirt, oil, or grease.
- Dusting: Remove any loose dust or debris from the crack.
- Priming: Apply a suitable primer (Suggested price paint plaster primer)



The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Application Process

- Application Method: Brush, roller, or filling knife.
- Application Temperature: 10°C to 30°C.
- Application Humidity: 50% to 80%.
- Drying Time: 2 hours between coats at 20°C.
- Curing Time: 24 hours at 20°C.
- Revert to [Drying Time](#)

Typical Applications

- Ideal for repairing hairline cracks in walls and ceilings.
- Suitable for repairing small cracks and gaps in floors.
- Can be used to repair hairline cracks in concrete surfaces.
- Suitable for repairing small cracks and gaps in plaster surfaces.
- Ideal for repairing hairline cracks in drywall surfaces.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Drying Time

Factors Affecting Drying Time will depend on two key factors:

- Humidity: Ambient humidity levels will influence drying time.
- Temperature: Surface temperature, not ambient temperature, will affect drying time.

Temperature (°C)	Drying Time	Drying Time	Drying Time
	2mm Thickness	4mm Thickness	6mm Thickness
45°C	45 minutes	3 hours	6 hours
30°C	1 hour	4 hours	8 hours
25°C	5 hours	20 hours	40 hours
15°C	8 hours	32 hours	64 hours
10°C	12 hours	48 hours	96 hours
5°C	24 hours	96 hours	192 hours

Important Notes

The temperatures listed are surface temperatures, not ambient temperatures.

Drying times may vary depending on specific environmental conditions.

It is essential to ensure the coating is fully dry before exposing the roof to water or foot traffic.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Technical Specification

pH Value: 8.0 - 10.0

Dry Film Thickness (DFT): 500-1000 microns

Solids Content: 55 - 50% by weight

Polymer Type: multi polymer

Volatile Organic Compound (VOC) Content: < 20 g/L

Tensile Strength: 1.5 - 2.5 MPa

Elongation at Break: 50 - 100%

Adhesion to Substrate: > 1.0 MPa

Flexibility: ASTM D522-14

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Hazard Identification

- Skin and Eye Irritation: May cause skin and eye irritation.
- Prolonged exposure may lead to dryness and cracking of skin.
- Inhalation: Inhalation of fumes may cause respiratory irritation



The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Safety Precautions

Safety Precautions

- **Wear Protective Clothing:** Wear gloves, safety glasses, and a mask to prevent skin and eye contact and inhalation of fumes.
- **Ensure Adequate Ventilation:** Use in well-ventilated areas to prevent inhalation of fumes.
- **Avoid Slip and Fall:** Ensure coating is fully dry before exposing the roof to foot traffic.
- **Keep Away from Heat and Flames:** Do not apply near open flames or sparks.



The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

First Aid Measures

In the event of an accident, please follow these first aid measures.

- Skin Contact: Wash affected area with soap and water. Seek medical attention if irritation persists.
- Eye Contact: Flush eyes with water. Seek medical attention if irritation persists.
- Inhalation: Move to fresh air. Seek medical attention if symptoms persist.



The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Fire Fighting Measures

Fire Fighting Measures

- Fire Hazards:- Non-Flammable: This product is water-based and non-flammable.
- Combustible Packaging: Packaging materials, such as cardboard or plastic, may be combustible.

Fire Fighting Instructions

- Extinguishing Media: Use water spray or foam to extinguish fires.
- Fire Fighting Techniques: Use water spray to cool surrounding areas and prevent re-ignition.
- Special Fire Fighting Procedures: None required.



The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Spillage

Accidental Release Measures:

- Spill Response: Containment: Contain spills immediately using absorbent materials, such as sand or vermiculite.
- Cleanup: Clean up spills using a detergent solution and water.
- Disposal: Dispose of contaminated materials and cleaning solutions according to local regulations.



The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Handling & Storage

Handling

- **Handle with Care:** Handle containers with care to prevent damage and spills.
- **Use Suitable Equipment:** Use suitable equipment, such as pallet jacks or forklifts, to move containers.
- **Avoid Dropping:** Avoid dropping containers, as this may cause damage or spills.

Storage

- **Store in Original Container:** Store the product in its original container, tightly sealed and upright.
- **Store in Dry, Well-Ventilated Area:** Store the product in a dry, well-ventilated area, away from direct sunlight and heat sources.
- **Check Storage Dates:** Check the storage date on the container prior to usage. This product has a shelf life of 6 months from the invoice date.
- **Rotate Stock:** Rotate stock to ensure that older containers are used before newer ones.

Expiry and Shelf Life:

- **Shelf Life:** This product has a shelf life of 6 months from the invoice date.
- **Expiry Date:** Check the invoice date and ensure that the product is used before the expiry date.
- **Usage After Expiry:** Do not use the product after the expiry date, as its performance and quality may be compromised.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Exposure Control & Personal Protection

Environmental Precautions:

- Prevent Entry into Waterways: Prevent spills from entering waterways, sewers, and drains.
- Prevent Soil Contamination: Prevent spills from contaminating soil and groundwater

Personal Precautions:

- Wear Protective Clothing: Wear protective clothing, including gloves and safety glasses, to prevent skin and eye contact.
- Ensure Adequate Ventilation: Ensure adequate ventilation to prevent inhalation of fumes.



The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Stability & Reactivity

Stability:

- **Stable under Normal Conditions:** This product is stable under normal storage and handling conditions.
- **Avoid Extreme Temperatures:** Avoid storing or handling the product at extreme temperatures (below 5°C or above 30°C).
- **Avoid Exposure to Direct Sunlight:** Avoid exposing the product to direct sunlight for extended periods.

Reactivity:

- **Incompatible Materials:** Avoid mixing the product with incompatible materials, such as strong acids or bases, oxidizing agents, or flammable liquids.
- **Hazardous Reactions:** No hazardous reactions are expected under normal storage and handling conditions.
- **Polymerization:** No polymerization is expected under normal storage and handling conditions.

Conditions to Avoid:

- **High Temperatures:** Avoid exposing the product to high temperatures (above 30°C) for extended periods.
- **Open Flames:** Keep the product away from open flames or sparks.
- **Ignition Sources:** Keep the product away from ignition sources, such as electrical equipment or hot surfaces.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Disposal

Disposal Methods:

- Dispose of as Hazardous Waste: This product is not biodegradable and is toxic to aquatic life
- Dispose of as hazardous waste in accordance with local regulations.
- Do Not Dispose of in Drainage Systems: Do not dispose of this product in drainage systems, including sewers and storm drains.
- Do Not Dispose of in Waterways: Do not dispose of this product in waterways, including rivers, lakes, and oceans

Disposal Containers:

- Use Suitable Containers: Dispose of this product in suitable containers, such as those made of high-density polyethylene (HDPE) or polypropylene (PP).
- Label Containers: Label containers as "Hazardous Waste" and include the product name and hazard statement.

Disposal Facilities:

- Use Authorized Disposal Facilities: Dispose of this product at authorized hazardous waste disposal facilities.
- Check with Local Authorities: Check with local authorities for information on hazardous waste disposal facilities in your area.

Special Precautions:

- Protect the Environment: Take all necessary precautions to prevent the release of this product into the environment.
- Minimize Waste: Minimize waste generation and dispose of waste in accordance with local regulations.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Price Paint Disclaimer

Intellectual Property Protection:

Copyrights

- All content, including but not limited to text, images, graphics, and formulations, contained in this document or related to our products is the exclusive property of Selchem Holdings Group Limited and is protected by copyright laws. No part of this content may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Selchem Holdings Group Limited.

Trademarks:

- Selchem Holdings Group Limited and its affiliated companies' logos, product names, and trademarks are the exclusive property of Selchem Holdings Group Limited and are protected by trademark laws. No use of these logos, product names, or trademarks may be made without the prior written permission of Selchem Holdings Group Limited.

Patents:

- Selchem Holdings Group Limited and its affiliated companies own various patents and pending patents related to our products. No use of these patented technologies may be made without the prior written permission of Selchem Holdings Group Limited.

Confidentiality:

- All information contained in this document or related to our products, including but not limited to formulations, manufacturing processes, and business strategies, is confidential and proprietary to Selchem Holdings Group Limited. No disclosure or use of this confidential information may be made without the prior written permission of Selchem Holdings Group Limited.

Distribution Restrictions:

- No part of this document or any related information may be distributed, sold, or otherwise transferred to any third party without the prior written permission of Selchem Holdings Group Limited.

Protection of Trade Secrets:

- Selchem Holdings Group Limited and its affiliated companies have developed and own various trade secrets related to our products. No use or disclosure of these trade secrets may be made without the prior written permission of Selchem Holdings Group Limited.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. Users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Repackaging Restrictions

- No Price Paint products may be repackaged into another branded container without the prior written permission of Selchem Holdings Group Limited. This includes, but is not limited to:
- Re-labeling or re-branding Price Paint products
- Changing the packaging or container of Price Paint products
- Selling or distributing Price Paint products under a different brand name
- Any unauthorized repackaging or re-branding of Price Paint products may result in legal action and may void any warranties or guarantees provided by Selchem Holdings Group Limited.

Resale Restrictions:

- Price Paint products may not be resold or onsold unless approved in writing by Price Paint or its authorized agencies and franchises. This includes, but is not limited to:
- Reselling Price Paint products to third parties
- Onselling Price Paint products through online marketplaces or other channels
- Transferring Price Paint products to other companies or individuals
- Any unauthorized resale or onsale of Price Paint products may result in legal action and may void any warranties or guarantees provided by Selchem Holdings Group Limited.

Notice of Proprietary Rights:

- By using our products or accessing our information, you acknowledge and agree that you have read, understood, and will comply with the terms and conditions of this intellectual property protection statement.

Governing Law:

- This intellectual property protection statement shall be governed by and construed in accordance with the laws of [State/Country]. Any disputes arising from this statement shall be resolved through [Dispute Resolution Process].

Changes to Statement:

- We reserve the right to modify or update this intellectual property protection statement at any time without prior notice.
- By using our products or accessing our information, you acknowledge and agree that you have read, understood, and will comply with the terms and conditions of this intellectual property protection statement.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Price Paint Color Disclaimer

Color Variations:

- Due to the inherent nature of pigments and dyes, color variations may occur between batches of the same color. These variations can be attributed to various factors, including:
- Differences in pigment sources
- Variations in organic and synthetic pigment properties
- Manufacturing process tolerances

Color Matching:

- While we strive to maintain consistent color standards, it is essential to check the color of each batch before use. If you have multiple batches of the same color, it is recommended to intermix all batches to achieve a uniform color.

No Guarantee of Color Match:

- We do not guarantee an exact color match between batches or to any color standard, including but not limited to Pantone, RAL, or NCS colors. Our colors are subject to change without notice, and we reserve the right to modify our color formulations as needed.

Limitation of Liability:

- In no event shall Selchem Holdings Group Limited, its affiliates, or its suppliers be liable for any damages, including but not limited to incidental, consequential, or punitive damages, arising from color variations or mismatches.

Customer Responsibility:

- It is the customer's responsibility to inspect the color of each batch before use and to ensure that the color meets their requirements. By using our products, the customer acknowledges that they have read, understood, and agree to the terms and conditions of this color disclaimer.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Governing Law:

- This color disclaimer shall be governed by and construed in accordance with the laws of the country or region in which the product is purchased or used. For the avoidance of doubt, this includes but is not limited to:
- The laws of Australia, for products purchased or used in Australia
- the laws of New Zealand, for products purchased or used in New Zealand
- The laws of the European Union, for products purchased or used in the European Union
- The laws of the United States, for products purchased or used in the United States
- Any disputes arising from this disclaimer shall be resolved through arbitration in accordance with the rules of the relevant jurisdiction.

Changes to Disclaimer:

- We reserve the right to modify or update this color disclaimer at any time without prior notice.
- By using our products, you acknowledge and agree that you have read, understood, and will comply with the terms and conditions of this color disclaimer.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Price Paint Delivery & Transportation

Risk of Loss:

- The risk of loss or damage to the product passes to the customer as soon as the product leaves the entrance floors of our premises. Price Paint takes no responsibility for any damage or loss caused during handling, packaging, spillage, or transportation.

Customer Responsibility:

- It is the customer's responsibility to ensure that the product is properly secured prior to transport, during transit, and during on and off-loading. The customer must take all necessary precautions to prevent damage or loss to the product.

Ownership:

- Until full payment has been received by Price Paint, the customer acknowledges that Price Paint retains ownership of the product. If payment is not made in accordance with the agreed terms, Price Paint reserves the right to repossess the product.

Security Agreement:

- The customer grants to Price Paint a security interest in the product, and in any proceeds from the sale or disposal of the product, until such time as the customer has made full payment for the product.

Default:

- If the customer fails to make payment in accordance with the agreed terms, or if the customer breaches any other term or condition of this agreement, Price Paint may:
- Retain ownership of the product
- Repossess the product
- Sue for the outstanding debt
- Take any other action necessary to protect its interests

Governing Law:

- This agreement shall be governed by and construed in accordance with the laws of South Africa.

Changes to Agreement:

- We reserve the right to modify or update this agreement at any time without prior notice.
- By purchasing from Price Paint, you acknowledge that you have read, understood, and agree to the terms and conditions of this agreement.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. Users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

System Warranty & Usage

System Warranty and Usage:

- Complete System Requirement:
- Price Paint products are specifically designed and formulated to work together as a complete system. To ensure optimal performance, durability, and to maintain warranties, it is essential that Price Paint products are used in their entirety, as intended by the manufacturer.

Warranty Voidance:

- If Price Paint products are not used as a complete system, or if they are combined with products from other manufacturers, Price Paint reserves the right to void any and all warranties, guarantees, and liabilities associated with the products.

No Partial Warranty:

- Price Paint will not provide any warranty or guarantee for products that are used in part or in combination with other products, unless explicitly authorized by Price Paint in writing.

System Compatibility:

- It is the customer's responsibility to ensure that all Price Paint products are compatible with each other and with the intended surface or substrate.

Warranty Conditions:

- To maintain warranty validity, the customer must:
- Use Price Paint products in accordance with the manufacturer's instructions and recommendations
- Use Price Paint products as a complete system, without combining them with products from other manufacturers
- Ensure proper surface preparation, application, and drying conditions
- Comply with all applicable laws, regulations, and industry standards

Disclaimer:

- Price Paint disclaims all liability for any damages, losses, or expenses arising from the use of Price Paint products in combination with products from other manufacturers, or from the failure to use Price Paint products as a complete system.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Governing Law:

- This clause shall be governed by and construed in accordance with the laws of South Africa.

Changes to Clause:

- We reserve the right to modify or update this clause at any time without prior notice.
- By purchasing and using Price Paint products, you acknowledge that you have read, understood, and agree to the terms and conditions of this clause.



The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Color Selection

- White



The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za